

RECEIVED
CENTRAL FAX CENTER

JUN 11 2004

DILLON YUDELL LLP
ATTORNEYS AT LAW**OFFICIAL****FACSIMILE TRANSMITTAL SHEET**

TO:	FROM:
Examiner J. Blackwell	Brian Russell, Reg. No. 40,796
COMPANY:	DATE:
USPTO	June 11, 2004
FAX NUMBER:	TOTAL NO. OF PAGES INCLUDING COVER:
703.872.9306	15
PHONE NUMBER:	SENDER'S REFERENCE NUMBER:
	AUS000070US1
RE:	YOUR REFERENCE NUMBER:
Formal response to non-final O.A.	09/583,520

☐ URGENT ☐ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS:

Please see the attached formal response, and feel free to call me at (512) 343.6116 should you have any questions concerning the attached.

1. Amendment under 37 C.F.R. § 1.111
2. IDS
3. SB/122 – Change of Address

Respectfully submitted,
Brian F. Russell/vf

This fax from the law firm of Dillon & Yudell LLP contains information that is confidential or privileged, or both. This information is intended only for the use of the individual or entity named on this fax cover letter. Any disclosure, copying, distribution or use of this information by any person other than the intended recipient is prohibited. If you have received this fax in error, please notify us by telephone immediately at 512.343.6116 so that we can arrange for the retrieval of the transmitted documents at no cost to you.

8911 N. CAPITAL OF TEXAS HWY., SUITE 2110, AUSTIN, TEXAS 78759
512.343.6116 (V) • 512.343.6446 (F) • DILLONYUDELL.COM

JUN 11 2004

OFFICIAL

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re Application of:
MALCOLM

Serial No.: 09/583,520

Filed: **MAY 31, 2000**

Title: SYSTEM, METHOD, AND PROGRAM PRODUCT FOR SAVING A SUBMITTED FORM OF A WEBSITE

www.mca.com

Attorney Docket No.: AUS000070US1

Examiner: **BLACKWELL, J.H.**

Group Art Unit: 2176

AMENDMENT B UNDER 37 C.F.R. § 1.111

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This Amendment is submitted in response to the Office Action dated April 21, 2004, having a shortened statutory period set to expire July 21, 2004.

Please amend the above-identified application as indicated below.

